

Manufactured:	United Static Control Products Inc.				
Address:	PO Box 19252, 4878 Lake View, Colorado City, CO 81019				
Telephone-Technical:	719 676 3928				
Essentially similar to U.S. Department of Labor OSHA Standards					
SECTION I: PRODUCT IDENTIFICATION					
Product Number	301AS, Conductive Interlocking Flooring Tiles				
WHIMS Class	Not Controlled				
Description	Natural Rubber				
Product use	Flooring				
Transport	Not regulated				
DOT Classification	85				
HMIS CODE	<table border="1" style="margin-left: auto; margin-right: auto;"> <tr> <td>HEALTH (0)</td> </tr> <tr> <td>FIRE (0)</td> </tr> <tr> <td>REACTIVITY (0)</td> </tr> <tr> <td>SPECIFIC (0)</td> </tr> </table>	HEALTH (0)	FIRE (0)	REACTIVITY (0)	SPECIFIC (0)
HEALTH (0)					
FIRE (0)					
REACTIVITY (0)					
SPECIFIC (0)					
0= Minimal. 1=Light, 3=Moderate, 4=Dangerous					
Supplier:	United Static Control Products Inc				
	P.O.B 19252, 4878 Lake View Cir				
	Colorado City, CO 81019				
	Telephone: 719 676 3928				
	Emergency Telephone Number CHEMTREC: 800 424 9300				
SECTION II: HAZARDOUS INGREDIENTS					
Hazardous Ingredients # CAS % T.L.V. LD50					
Material or Component:	Natural Rubber				
	carbon black 1333-86-4 0.1 - 1.0 3.5 mg/m3.>8,000 mg/kg (oral-rat)				
SECTION III: PHYSICAL PROPERTIES					
Appearance and odor	Solid material, Black, light rubber odor when new				
Boiling Point (°C.)	N/A				
Specific Gravity (H2O=1)	1.7 Approx				
Vapor density (air=1)	N/A				

Melting point (°C.)	N/D
Evaporation rate	N/A
Solubility in water	Non soluble
Volatile matter (5 Vol)	N/D
Vapor pressure (mm of HG)	N/D
PH	N/A
SECTION IV: FIRE AND EXPLOSION DATA	
Flammable? (yes / no)	NO
If yes list conditions	-
Flash point (°C.)	N/D
Method	N/D
Auto ignition temperature (°C.)	N/D
Flammable limits (% vol. in air)	Lower limit: N/D, Upper limit: N/D
SECTION V: REACTIVITY DATA	
Stability	Stable
Conditions to avoid	None
Hazardous polymerization conditions to avoid	None known
Incompatibility (materials to avoid)	None known
Hazardous decomposition products	May emit oxides of carbon, sulfur and typical hydrocarbons
SECTION VI: PREVENTATIVE MEASURES	
Ventilation	When heated provide adequate ventilation to remove smoke and fumes from work area
Respiratory protection	None required with adequate ventilation
Eye protection	Safety glasses
Hand protection	Gloves
Special protective equipment	None required
Handling	Practice good personal hygiene
Storage	Store in cool dry area
SECTION VII: SPILL OR LEAK PROCEDURES	
Steps to be taken if material is released or spilled	Reuse material
Waste disposal method	Follow local, state, provincial and federal regulations, recycle.
SECTION VIII: HEALTH HAZARD DATA	
Absorption Route	Skin (x), Eyes (x) Inhalation (), Ingestion (x)
Effects of overexposure	The ingredients listed in section II are incorporated into the product and will not be released. They are provided for information. No

	acute effects are anticipated
Skin	Contact not expected to be harmful
Eyes	Not expected to be harmful
Inhalation	Not expected to be harmful
Ingestion	N/A
SECTION IX: FIRST AID PROCEDURES	
Skin	Wash with soap and water
Eyes	Flush with water and remove particulate
Inhalation	Move the person to fresh air, give artificial respiration if necessary
Ingestion	Call a Physician
SECTION X: PREPARATION INFORMATION	
Prepared by	J Petrowsky
Revision Date	January 10 th , 2012
Approved	SRC
<p>United Static Control Products Inc has compiled the above information and recommendations contained in the Material Safety Data Sheet from sources believed to be reliable and to present the most reasonable current opinion on the subject when the MSDS was prepared. No warranty or representation is made to the correctness or sufficiency of the information. The user of this product must decide what safety measures are necessary to safely use this product, either alone or in combination with other products.</p> <p>All Specifications Are Subject to Change</p> <p>N/A: Not Applicable N/D: Not determined N/E: Not established</p>	